

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3438	(713/201).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/20 18:50
S2	2	voter with registr\$5 same hash	US-PGPUB; USPAT	OR	ON	2005/03/18 10:53
S3	3	voter with registr\$6 same hash	US-PGPUB; USPAT	OR	ON	2005/03/18 10:53
S4	51	voter with registr\$6 and hash	US-PGPUB; USPAT	OR	ON	2005/03/18 10:53
S5	11	voter with registr\$6 and hash and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/03/18 10:58
S6	1	voter with registr\$6 and hash and @ad<"20000801" and collision	US-PGPUB; USPAT	OR	ON	2005/03/18 10:56
S7	1	voter and hash and @ad<"20000801" and collision	US-PGPUB; USPAT	OR	ON	2005/03/18 10:56
S8	28	voter and @ad<"20000801" and collision	US-PGPUB; USPAT	OR	ON	2005/03/18 10:57
S9	0	voter and @ad<"20000801" and collision adj index	US-PGPUB; USPAT	OR	ON	2005/03/18 10:57
S10	0	voter with hash and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/03/18 10:58
S11	74	electronic with voting with system and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/03/18 11:04
S12	5	electronic with voting with system and @ad<"20000801" and (hash one adj way sha md5)	US-PGPUB; USPAT	OR	ON	2005/03/18 11:10
S13	23	"electronic voting".ti. and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/03/22 10:53
S14	3	"electronic voting".ti. and @ad<"20000801" and hash	US-PGPUB; USPAT	OR	ON	2005/03/18 11:13
S15	1	collision adj index and hash and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/03/18 11:14
S16	17	collision adj index and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/03/18 11:14
S18	3	voter same hash and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/03/18 16:23
S19	15	voter and hash with (data information) and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/03/18 16:54
S20	31	voter and hash and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/03/18 17:23
S21	1111	(vot\$4 election) and (hash one adj way sha md5) and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/03/18 17:25

S22	21	(vot\$4 election) with (hash one adj way sha md5) and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/03/18 17:32
S23	224	(vot\$4 election) and (hash sha md5) and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/03/18 17:36
S24	24	(vot\$4 election) same (hash sha md5) and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/03/18 17:32
S25	140	(vot\$4 election) and (hash sha md5) and @ad<"20000801" and (database data adj base)	US-PGPUB; USPAT	OR	ON	2005/03/18 17:36
S26	8	(vot\$4 and election) and (hash sha md5) and @ad<"20000801" and (database data adj base)	US-PGPUB; USPAT	OR	ON	2005/03/18 17:46
S27	75	(vot\$4 and election) and fraud\$8 and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/03/18 17:46
S28	29	(vot\$4 and election) and fraud\$8 and @ad<"20000801" and (database data adj base)	US-PGPUB; USPAT	OR	ON	2005/03/21 10:59
S29	628	vot\$4 with (internet network computer) and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/03/21 11:01
S30	33	vot\$4 with (internet network computer) and hash\$3 and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/03/21 13:47
S31	2	vot\$4 and credential and mnemonic	US-PGPUB; USPAT	OR	ON	2005/03/21 16:10
S32	89	vot\$4 and mnemonic	US-PGPUB; USPAT	OR	ON	2005/03/21 16:10
S33	75	vot\$4 and mnemonic and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/03/21 16:26
S34	0	vot\$4 with mnemonic and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/03/21 16:10
S35	1	vot\$4 same mnemonic and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/03/21 16:10
S36	64	vot\$4 and mnemonic and @ad<"20000801" and (computer internet network)	US-PGPUB; USPAT	OR	ON	2005/03/21 16:14
S37	0	hash with mnemonic and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/03/21 16:26
S39	13	hash same mnemonic and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/03/21 16:53
S40	23	"collision index"	US-PGPUB; USPAT	OR	ON	2005/03/21 17:30
S41	0	vot\$4 and hash\$4 with seed and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/03/21 17:30
S42	11	vot\$4 and hash\$4 with seed	US-PGPUB; USPAT	OR	ON	2005/03/21 17:31

S43	10	elect\$4 and hash\$4 with seed and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/03/21 17:55
S44	0	(vot\$4 election) with (internet network) and hash\$4 with seed and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/03/21 17:35
S45	32	(vot\$4 election) with (internet network) and hash\$4 and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/03/21 17:35
S46	47	re?seeding and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/03/21 18:03
S47	1	re?seeding.ti. and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/03/21 17:55
S48	55	re?seed\$4 and (computer internet network) and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/03/22 10:25
S49	75	vote\$ and seed\$4 and (computer internet network) and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/03/22 14:49
S50	39	electronic adj vot\$4 adj (system method apparatus) and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/03/22 10:54
S51	46	electronic adj vot\$4 near2 (system method apparatus) and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/03/22 12:16
S52	5	electronic adj vot\$4 near2 (system method apparatus) and @ad<"20000801" and (seed\$4 hash\$4)	US-PGPUB; USPAT	OR	ON	2005/03/22 10:56
S53	83	electronic adj vot\$4 and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/03/22 12:16
S54	102	(internet network electronic) adj vot\$4 and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/03/22 12:17
S55	21	(internet network electronic) adj vot\$4 and @ad<"20000801" and (encryp\$5 crypt\$8 seed hash)	US-PGPUB; USPAT	OR	ON	2005/03/22 12:17
S56	56	voter near2 registra\$6 and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/03/22 13:09
S57	14	voter near2 registra\$6 and @ad<"20000801" and (hash md5 sha1 one adj way)	US-PGPUB; USPAT	OR	ON	2005/03/22 13:21
S58	5	voter and mnemonic and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/03/22 13:41
S59	5	hash with regist\$6 and voter and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/03/22 13:43
S60	5	hash same regist\$6 and voter and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/03/22 13:43
S61	455	hash with regist\$8 and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/03/22 13:56

S62	10	hash with regist\$8 and @ad<"20000801" and vot\$4	US-PGPUB; USPAT	OR	ON	2005/03/22 14:05
S63	4	hash\$4 and canonical and (collision seed reseed re?seed) and mnemonic	US-PGPUB; USPAT	OR	ON	2005/03/22 14:14
S64	0	hash\$4 and canonical and (collision seed reseed re?seed) and mnemonic and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/03/22 14:06
S65	11	generat\$4 adj mnemonic	US-PGPUB; USPAT	OR	ON	2005/03/22 14:24
S66	24	generat\$4 with mnemonic and hash\$4	US-PGPUB; USPAT	OR	ON	2005/03/22 14:24
S67	3441	(713/201).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/22 14:29
S68	46	S67 and vot\$4	US-PGPUB; USPAT	OR	ON	2005/03/22 14:29
S69	15	S67 and vot\$4 and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/03/22 14:32
S70	30	(715/827).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/22 14:34
S71	11	S70 and (database data adj base)	US-PGPUB; USPAT	OR	ON	2005/03/22 14:39
S72	0	hide adj data with hash	US-PGPUB; USPAT	OR	ON	2005/03/22 14:40
S73	5	hid\$4 adj data with hash	US-PGPUB; USPAT	OR	ON	2005/03/22 14:41
S74	124	hid\$4 with hash	US-PGPUB; USPAT	OR	ON	2005/03/22 14:41
S75	25	hid\$4 with hash and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/03/22 14:41
S76	60	hid\$4 with hash\$4 and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/03/22 14:41
S77	20	hid\$4 with hash\$4 and @ad<"20000801" and (database data adj base)	US-PGPUB; USPAT	OR	ON	2005/03/22 14:47
S78	37	vote\$ and seed\$4 and (computer internet network) and @ad<"20000801" NOT image	US-PGPUB; USPAT	OR	ON	2005/03/22 14:50
S79	678	(database data adj base) with hash\$4 and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/03/22 14:50
S80	24	(database data adj base) with hash\$4 and @ad<"20000801" and vot\$4	US-PGPUB; USPAT	OR	ON	2005/03/22 15:05
S81	87	(seed reseed re?seed) with hash and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/03/22 16:01

S82	55	MAC same key with chang\$4 and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/03/22 16:01
S83	24	MAC with key with chang\$4 and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/03/22 16:07
S84	113	hash adj table with collision and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/03/22 16:08
S85	15	hash adj table with collision with (key seed) and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/03/22 17:00
S86	50	hash with (initialization adj value iv) and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/03/22 17:11
S87	23	hash adj table with chaining and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/03/22 17:11
S88	81	(registr\$6 enroll\$4) near2 vot\$4 and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/13 14:51
S89	1	(registr\$6 enroll\$4) near2 vot\$4 and @ad<"20000801" and collision	US-PGPUB; USPAT	OR	ON	2005/04/13 14:48
S90	12	(registr\$6 enroll\$4) near2 vot\$4 with (database data adj base) and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/13 17:14
S91	5	(registr\$6 enroll\$4) near2 vot\$4 with (database data adj base) and authentica\$4 and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/13 14:55
S92	7	vote and (anonymous\$2 hid\$4 zero adj knowledge) with authentica\$4 and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/13 15:04
S93	0	mnemonic adj credential and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/13 15:04
S94	0	mnemonic with credential and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/13 15:04
S95	3	mnemonic with one adj way and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/13 15:05
S96	1	anonymous adj vote and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/13 15:05
S97	8	anonymous adj vot\$4 and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/13 15:07
S98	0	anonymous adj vot\$4 and @ad<"20000801" and authentica\$6	US-PGPUB; USPAT	OR	ON	2005/04/13 15:07
S99	2	anonymous adj vot\$4 and @ad<"20000801" and regist\$6	US-PGPUB; USPAT	OR	ON	2005/04/13 15:08
S100	333	(235/51).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/13 15:09
S103	57	(235/50a).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/13 15:09
S104	11	S100 and authentica\$4	US-PGPUB; USPAT	OR	ON	2005/04/13 15:10

S10 7	892	(235/51,50a,50b,52,53,54,56). CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/13 15:11
S10 8	5	S107 and anonymous	US-PGPUB; USPAT	OR	ON	2005/04/13 15:12
S10 9	4	S107 and hash\$4	US-PGPUB; USPAT	OR	ON	2005/04/13 16:30
S11 0	1	S107 and collision	US-PGPUB; USPAT	OR	ON	2005/04/13 15:23
S11 1	0	S107 and hash\$4 and mnemonic	US-PGPUB; USPAT	OR	ON	2005/04/13 15:30
S11 2	1	S107 and mnemonic	US-PGPUB; USPAT	OR	ON	2005/04/13 15:32
S11 3	4	S107 and one adj way	US-PGPUB; USPAT	OR	ON	2005/04/13 15:33
S11 4	17	S107 and unique\$4 with identif\$6	US-PGPUB; USPAT	OR	ON	2005/04/13 15:33
S11 5	19	S107 and unique\$4 with identif\$8	US-PGPUB; USPAT	OR	ON	2005/04/13 15:41
S11 6	62	unique\$4 with identif\$8 with voter	US-PGPUB; USPAT	OR	ON	2005/04/13 15:47
S11 7	10	unique\$4 with identif\$8 with voter and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/13 15:42
S11 8	10969	unique with identifier and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/13 15:47
S11 9	44	dynamically with unique with identifier and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/13 15:47
S12 0	0	voter adj credential and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/13 17:14
S12 1	2	voter with credential and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/13 17:23
S12 2	6	internet adj voting and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/13 17:37
S12 3	21	hash adj table and voting and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/13 17:37
S12 5	4	hash adj table and voter and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/13 17:55
S12 6	12	hash adj table same vote and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/13 17:55
S12 7	56	database with voter adj registration	US-PGPUB; USPAT	OR	ON	2005/04/14 11:16
S12 8	10	database with voter adj registration and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/14 11:16
S12 9	133	(705/12).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/20 19:01

S13 0	45	S129 and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/21 11:46
S13 1	28	S129 and @ad<"20000801" and (regist\$6 enroll\$4)	US-PGPUB; USPAT	OR	ON	2005/04/22 14:19
S13 2	133	(705/12).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/21 11:46
S13 3	7	S132 and @ad<"20000801" and hash\$4	US-PGPUB; USPAT	OR	ON	2005/04/21 11:57
S13 4	53	(711/216).ccls. and chain\$4	US-PGPUB; USPAT	OR	ON	2005/04/21 11:57
S13 5	39	(711/216).ccls. and chain\$4 and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/21 12:00
S13 6	19	(711/216).ccls. and chain\$4 and @ad<"20000801" and collision	US-PGPUB; USPAT	OR	ON	2005/04/21 12:10
S13 7	119	higher same lower same dimensional adj space	US-PGPUB; USPAT	OR	ON	2005/04/21 12:22
S13 9	34	higher with lower with dimensional adj space	US-PGPUB; USPAT	OR	ON	2005/04/21 12:21
S14 0	3	higher with lower with dimensional adj space and hash	US-PGPUB; USPAT	OR	ON	2005/04/21 12:11
S14 1	3	higher with lower with dimensional adj space and hash\$4	US-PGPUB; USPAT	OR	ON	2005/04/21 12:11
S14 2	1	"6571227".pn.	US-PGPUB; USPAT	OR	ON	2005/04/21 12:21
S14 3	5	higher same lower same dimensional adj space and hash\$4	US-PGPUB; USPAT	OR	ON	2005/04/21 12:22
S14 4	39	"hash table".ti.	US-PGPUB; USPAT	OR	ON	2005/04/22 13:14
S14 5	24	"hash table".ti. and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/22 13:14
S14 6	13	"hash table".ti. and @ad<"20000801" and chain\$4	US-PGPUB; USPAT	OR	ON	2005/04/22 13:30
S14 7	0	"hash table".ti. and @ad<"20000801" and chain\$4 and mnemonic	US-PGPUB; USPAT	OR	ON	2005/04/22 13:30
S14 8	133	(705/12).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/22 14:19
S15 0	23	S148 and @ad<"20000801" and (database data adj base)	US-PGPUB; USPAT	OR	ON	2005/04/22 14:20